


Zetech

Industrial Traffic Paving Systems
South East Queensland

masonry.
style and
function



Engineered for heavy haulage and container terminals, airports, service stations, warehousing and industrial sites.

Interlock™ and Techpave™ Pavers

Austral Masonry Interlock paver is a high performance segmental concrete paving system engineered for high volume traffic, heavy loadings and poor foundation support.

Interlock is ideal for areas such as heavy transport and container terminals, industrial facilities, aircraft terminals etc. Techpave is generally used as header and border rows in Interlock installations.

Benefits

- Resistance to rutting
- Strength to withstand high point loadings
- Elimination of shrinkage, cracking and joint stepping
- Ready access to underground services and easy rehabilitation
- High skid resistance

Extensive design and installation information and assistance is available from the Lockpave program which is available from the Concrete Masonry Association of Australia, (CMAA)
Tel: (02) 9903 7760, or visit the Website: www.cmaa.com.au

Austral Masonry Interlock and Techpave pavers have been tested to AS/NZS4456.10 and can be used in saline environments.


Specifications and additional information

Content	Cement, sand, aggregate, colour oxide
Dimensional Category	DPB1
Characteristic Breaking Load (kN)	> 10
Abrasion Resistance Index	< 5 (for roads)
Slip Resistance Class	V
Salt Tested to AS/NZS4456.10	Yes
Liability to Effloresce	Nil to Slight
Manufacturing and Test Standard	AS/NZS4455, 4456 and 4586
Ordering Requirements	Made-to-Order (Minimum quantity applies)
Lead Time	4-6 weeks
Bulk Ordering	Requires extended lead times of more than 6 weeks




Product	Interlock 80	Techpave 80	Techpave 100
Size	225L x 112W x 80H	230L x 115W x 80H	210L x 105W x 100H
Application and usage	40 units per sq metre	38 units per sq metre	45.35 units per sq metre
Colours available	QLD Natural, Pewter	QLD Natural, Pewter	QLD Natural, Pewter
Unit weight (kg)	4.3	4.3	4.5

Suitable Application Legend



Colours



Natural

Pewter

Brickworks Design Centres Sales & Selection

QLD

Rochedale

105 Gardner Rd
Rochedale QLD 4122
Tel +61 7 3347 2111

Gympie

Cnr Woondum Rd and
Bruce Highway
Gympie QLD 4570
Tel +61 7 5489 6900

Caloundra

14 Daneil St
Caloundra QLD 4551
Tel +61 7 5413 1200

Cairns

8 Palmer St
Cairns QLD 4870
Tel +61 7 4035 1888

Ayr

7 Conford Crescent
Ayr QLD 4807
Tel +61 7 4783 8100

Townsville

42 Blakey St
Garbutt QLD 4814
Tel +61 7 4431 2800

Trading hours

For trading hours please visit www.australmasonry.com.au

Austral Masonry Head Office National

184 Burnside Rd
Yatala QLD 4208

Tel. 07 3441 7500
Fax. 07 3807 0954
Email. sales@australmasonry.com.au

1. **Stock colours.** Colours other than stock colours are made to order. Contact your nearest Austral Masonry office for your area's stock colours. A surcharge applies to orders less than the set minimum quantity.
2. **Colour and texture variation.** The supply of raw materials can vary over time. In addition, variation can occur between product types and production batches.
3. We reserve the right to change the details in this publication without notice.
4. For a full set of Terms & Conditions of Sale please contact your nearest Austral Masonry sales office.



1300 MASONRY (1300 627 667)

www.australmasonry.com.au



proud supporters



CHILDREN'S CANCER
INSTITUTE AUSTRALIA

The range of building products from
BRICKWORKS
BUILDING PRODUCTS

australbricks
SINCE 1908

auswesttimbers

australprecast

australfaçades

australmasonry



nubrik
SINCE 1908

bristiler roofing



BOWRAL BRICKS