

SWIFTDECK™

Decking made easy



SWIFTDECK.
clip, place,
click.



No visible fixings.
Strong and flexible.
Fix entire lengths
with one click.
Welcome to
the SWIFTDECK
revolution.
50% Faster!¹

SWIFTDECK™

The patented SWIFTDECK system, available through Auswest Timbers, does away with conventional mechanical fasteners, and the time, cost and effort associated with them.

Laying a conventional deck is time consuming, back-breaking and requires a good eye. Then there are the nails or screws that are visually intrusive, and prone to lifting, or breaking. Once a fixing works loose, or worse, breaks, the result is an unsightly, unsecured deck.

Unlike a conventional deck, the SWIFTDECK system uses cliprails, specially-shaped deck boards and a proven, high-strength adhesive to securely fix the

deck boards to the decking sub-structure.

SWIFTDECK Australian hardwood deck boards come in two colourways: Red and Blonde. Both are optionally available primed or pre-finished, saving more time and allowing immediate use of the finished deck.

Installation is fast – over 50 percent quicker than surfacing a conventional deck.

The SWIFTDECK system components include cliprails and adhesive which have built-in elasticity that allows the deck surface to accept small movements such as changes in humidity.

The result is a great looking, strong deck with straight lines and precise spacing. A deck that's fast and easy to construct.

¹ Based on tests conducted with independent professional decking installers

² Excludes leading fixing/edge board

³ Any cut ends require resealing



fast

Over 50 percent faster¹ than fixing deck boards by conventional methods.

easy

No drilling, nailing or fixing² screws into the decking surface means much less bending and kneeling.

visually extraordinary

Available primed or finished. Enhancing the natural look, durability and stability of the deck without fuss.

economical

A typical installation will save hundreds (or even thousands) of nails or stainless steel screws.

flexible

Minor movements due to humidity that may cause failure in a conventional deck fixing are more easily accommodated by the combination of SWIFTDECK cliprails and adhesive.

strong

University testing has proven that SWIFTDECK adhesive is stronger than hand or gun nailing.

more durable

No nails or screws in the deck surface means no loose or protruding fixings and no entry points for water and rot.³

all Australian

The system was developed in Australia and uses sustainably-sourced Australian hardwood.

Laying a beautiful, strong timber deck is easy



1. clip

the patented SWIFTDECK cliprails to the joists, one at each location, one row at a time.



2. place

a wide bead of flexible SWIFTDECK adhesive¹ on top of the joist between the clips for up to 5 boards at a time, avoiding the adhesive prematurely curing.²



3. click

the special SWIFTDECK deck boards into place using your hand, foot or rubber mallet. Two people may be needed on longer lengths.

Bushfire resistance

Swiftdeck is manufactured from timbers with a high inherent resistance to fire.

All timber used meets the requirements of BAL 12.5 and 19 per AS3959 applications. Depending on the application, the timbers used will also meet the requirements of BAL 29.

Silvertop Ash

– BAL 29 all applications

Karri/Jarra

– BAL 29 when used in conjunction with non-combustible wall cladding and enclosed subfloor

Sized to suit

SWIFTDECK is available in both a random length and set-length finger jointed board for the standard dimension **86mm x 20mm**. Standard joined lengths are **3.6, 4.8** and **5.4** metres. Other non standard dimensions in random lengths subject to availability include – **65mm x 20mm, 65mm x 32mm** and **86mm x 32mm**.

Edge boards (clip groove on 1 side only) are available in **5.4m** set lengths.



Please note:

This information is for general guidance only. Detailed information and advice is available from the SWIFTDECK installation manual.

SWIFTDECK is fixed to a standard decking sub-structure².

Joists must sit on top of bearers, or have at least 35mm side clearance to allow for the fixing of SWIFTDECK cliprails.


When using random length boards, simply double joist and place a clip rail each side of the joist where the boards will meet.

If a SWIFTDECK cliprail lug is broken during installation, cut a section off a new cliprail and fix it on the opposite side of the joist to the broken lug.

¹ Or approved polyurethane adhesive - Sika Sikaflex 11FC ; Bostik Matrix FC (Do not use silicon or hard-setting construction adhesives).
Sikaflex 11FC is a trademark of Sika AG, Matrix FC is a trademark of Bostik Australia Pty Ltd

² Decking sub-structure should comply with the requirements of the Australian Building Code.

Finished, Primed and Natural Decking Boards



The colours of Australia

SWIFTDECK boards come in two basic colourways: red and blonde

The natural colouring of both timbers is superb.

The Blonde base colour is an ideal candidate for a range of stain colours, in contrast to dark tropical or rainforest timbers such as Merbau.

The red base has the colour characteristics ranging from dark pink to deep reddish browns that result in warm and inviting earthy tonings when finished with decking oils.

Once the boards are snapped into position, there are no exposed screws or nail heads interrupting the line. Visually, the colour and grain of the timber comes to the fore.

Primed for maximum performance

Whilst available unfinished, SWIFTDECK is commonly requested and supplied primed. The benefits of priming (pre-oiling) the deck to all sides with a high-quality oil extend well beyond saving time and frustration. Priming enhances the natural look, durability and stability of the timber in service.

Pre-Finished decking – superior finish and immediate enjoyment

Looking for a superior finish without added effort? SWIFTDECK pre-finished is likely to be the answer - no waiting to clean and finish the deck before using it, saving the time consuming and laborious process of oiling each board pre-installation.

The durable low sheen finish of the oil used is easy to clean and future maintenance is straight forward - subsequent coats can usually be applied without complicated preparation:

*Always refer first to and follow the instructions given by the coating manufacturer when maintaining your deck.

Given that timber is a natural product and will vary between boards, all images are indicative of the possible results only. To aid colour choice, it is recommended that you test your selection on a timber offcut of the same species first. Colour reproduction can vary when viewing colours on a screen.



About Auswest Timbers

Auswest Timbers is Australia's foremost producer and marketer of hardwoods from sustainably managed forests in Western Australia and Victoria.

These high-quality, durable, character-filled timbers are valued in Australia and across the world for applications as diverse as furniture, joinery, cladding, flooring, decking and engineered structures.

Auswest Timbers has processing operations in the heart of Western Australia's Jarrah and Karri stands, and in the eucalypt forests of south-eastern Victoria. It also processes plantation-grown radiata pine as roof tile battens in the ACT.

Auswest manufactures wood products from logs sourced locally. Hardwood sawlogs are sourced from the WA Forest Products Commission and VicForests, the state government agencies responsible for the sustainable harvesting and


regeneration of public forests, operating under nationally and internationally recognised forestry certification programs, such as PEFC.

Chain of Custody certification is available on request.

Auswest Timbers is a division of Brickworks Building Products, one of Australia's most diversified and respected building materials manufacturers.



AFS - is a trademark of Australian Forestry Standard Limited
 PEFC - Programme for the Endorsement of Forest Certification



We are Brickworks

Brickworks Building Products is one of Australia's largest and most diverse building material manufacturers. Under the Brickworks Building Products umbrella are some of Australia's best known building materials brands.

Our products include bricks, pavers, masonry blocks, retaining wall systems, precast concrete panels, concrete and terracotta roof tiles, timber products and specialised façade systems.

With a broad product portfolio and manufacturing and sales facilities across Australia, Brickworks Building Products is uniquely placed to service the demands of the building industry.

With over 1200 staff across Australia and New Zealand, we pride ourselves on our commitment to product, service excellence and our leadership position.

BRICKWORKS
BUILDING PRODUCTS

australbricks
SINCE 1908

australmasonry

australprecast

auswesttimbers

bristileroofting

BOWRAL BRICKS

nubrik
authentic brickwork



terraçade
TERRACOTTA FAÇADE SYSTEMS

Pronto Panel™

INEX > BOARDS™

Proud Supporters



Auswest Timbers main offices

Victoria

Dandenong
37-39 Elliott Rd
Dandenong
VIC 3175

Western Australia

Welshpool
455 Orrong Road
Welshpool
WA 6106

Brickworks Building Products design studios

Sydney
Ground Floor
50 Carrington Street
Sydney
NSW 2000

Melbourne
490 Swan Street
Richmond
VIC 3121

Adelaide
Ground Floor
70 Hindmarsh Square
Adelaide
SA 5000

Brisbane
27 James Street
Fortitude Valley
QLD 4006

Perth
67 King Street
Perth
WA 6000



1800 AUSWEST (1800 287 9377)

auswesttimbers.com.au



a member of



proud supporters



The range of building products from
BRICKWORKS
BUILDING PRODUCTS

australbricks
since 1908
Pronto Panel
FASTER. BETTER. STRONGER.

australprecast
terracade
TERRACOTTA FACÇOE SYSTEM



australmasonry
nubrik

bristileroofting
BOWRAL BRICKS

auswesttimbers
INEX BOARDS

The product images in our brochures give a general indication of colour for your preliminary selection. We also recommend you view current product samples before making your final decision.