

LEADING PAINT BRANDS

wattyl

SOLVER

Granosite

Coating Specifications

INEX > BOARDS


ANY BUILDING • ANY SURFACE • ANYWHERE



INEX > EXPRESS

Paint Specification Schedule						Ref:	VS170119
Project						Date	19 th January 2017
Project Address:						Author	Victor Sztiniak
Finish Reference	Location	Substrate	Coating System	Paintworks Reference	VOC Levels gm/L (tinted)	Remarks	

INEX > Express



Internal & External Walls Stain Finishes

P-11	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Express • MgO sheet cladding with expressed joints 	WEATHERGARD <small>Weatherguard Exterior Water Based Protection</small>	Weathergard Decking Water Based Stain			<ul style="list-style-type: none"> • Semi-Transparent penetrating stain finish • Low sheen finish • Dries quickly • Water repellent with mould & fungus inhibitors
			1 st coat	Weathergard Decking Water Based Stain	D5.48	n/a	
			2 nd coat	Weathergard Decking Water Based Stain	D5.48	n/a	

External Walls Paint Finishes

P-12	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Express • MgO sheet cladding with expressed joints 	Solagard <small>Ultra Premium</small>	Solagard Low Sheen			<ul style="list-style-type: none"> • Tough & durable ultra premium exterior paint • Low sheen finish • Primer to stabilise substrate • 10 year warranty
			1 st coat	GranoPrime	G1.02	< 10	
			2 nd coat	Solagard Low Sheen	D4.14	< 45	
P-13	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Express • MgO sheet cladding with expressed joints 	DURAGUARD <small>Ultra Premium</small>	Duraguard Low Sheen			<ul style="list-style-type: none"> • Tough & durable ultra premium exterior paint • Low sheen finish • Primer to stabilise substrate • 10 year warranty
			1 st coat	GranoPrime	G1.02	< 10	
			2 nd coat	Duraguard Low Sheen	FC-4290.01	< 45	
			3 rd coat	Duraguard Low Sheen	FC-4290.01	< 45	

Paint Specification Schedule						Ref:	VS170119
Project						Date	19 th January 2017
Project Address:						Author	Victor Sztiniak
Finish Reference	Location	Substrate	Coating System	Paintworks Reference	VOC Levels gm/L (tinted)	Remarks	

INEX > Wallboard



Internal & External Walls Stain Finishes: Arrised Edges

P-20	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Wallboard • MgO sheet with arrised edges • Smooth side coated 	WEATHERGARD <small>(Weather Resistant Timber Protection)</small>	Weathergard Decking Water Based Stain			<ul style="list-style-type: none"> • Semi-Transparent penetrating stain finish • Low sheen finish • Dries quickly • Water repellent with mould & fungus inhibitors
			1 st coat	Weathergard Decking Water Based Stain	D5.48	n/a	
			2 nd coat	Weathergard Decking Water Based Stain	D5.48	n/a	

Internal Walls Clear Finishes: Arrised Edges

P-21	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Wallboard • MgO sheet with arrised edges • Smooth side coated 	ESTAPOL	ESTAPOL Water Based Speed Clear Gloss			<ul style="list-style-type: none"> • Gloss Finish • Dries quickly for fast recoating • Highly abrasion, scratch & scuff resistant • Highlights natural grain, colour & texture of timbers • Low odour • Low VOC Green star compliant • Interior use only • No warranty
			1 st coat	ESTAPOL Water Based Speed Clear Gloss	D5.54	< 135	
			2 nd coat	ESTAPOL Water Based Speed Clear Gloss	D5.54	< 135	
			3 rd coat	ESTAPOL Water Based Speed Clear Gloss	D5.54	< 135	

Internal Walls Paint Finishes: Arrised Edges

P-22	Internal Walls: • General • Wet Areas	<ul style="list-style-type: none"> • INEX Wallboard • MgO sheet with arrised edges • Smooth side coated 	interior design <small>(Healthy, Durable, Sustainable)</small>	Interior Design i.d Luxury Low Sheen			<ul style="list-style-type: none"> • Ultra premium 3 coat paint system • Low VOC & low odour paint system • Low sheen finish • Sealer undercoat to stabilise the surface & promote adhesion • 10 year warranty
			1 st coat	Interior Design Acrylic Sealer Undercoat	D3.18	< 1	
			2 nd coat	Interior Design i.d Luxury Low Sheen	D3.17	< 1	
			3 rd coat	Interior Design i.d Luxury Low Sheen	D3.17	< 1	
P-23	Internal Walls: • General • Wet Areas • Laboratories	<ul style="list-style-type: none"> • INEX Wallboard • MgO sheet with arrised edges • Smooth side coated 	interior design <small>(Healthy, Durable, Sustainable)</small>	Interior Design i.d Advanced Luxury Low Sheen			<ul style="list-style-type: none"> • Inhibits growth of mould & bacteria on the paint surfaces • Virtually no odour • Low VOC & Greenstar compliant • Superior wash, stain & scuff resistance • Low Sheen finish • Sealer undercoat to stabilise the surface & promote adhesion • 10 year warranty
			1 st coat	Interior Design Acrylic Sealer Undercoat	D3.18	< 1	
			2 nd coat	Interior Design i.d Advanced Luxury Low Sheen	D4.95	< 1	
			3 rd coat	Interior Design i.d Advanced Luxury Low Sheen	D4.95	< 1	
P-24	Internal Walls: • General	<ul style="list-style-type: none"> • INEX Wallboard • MgO sheet cladding with expressed joints • Smooth side coated 	SOLVER <small>ULTRA</small>	Solver Ultra Clean Air Low Sheen Acrylic			<ul style="list-style-type: none"> • Premium 3 coat paint system • Low VOC & low odour paint system • Low sheen finish • Sealer undercoat to stabilise the surface & promote adhesion • 7 year warranty
			1 st coat	Solver Ultra Acrylic Sealer Undercoat (ASU)	SU-4325.01	< 45	
			2 nd coat	Solver Ultra Clean Air Low Sheen Acrylic	FC-4385.01	< 3	
			3 rd coat	Solver Ultra Clean Air Low Sheen Acrylic	FC-4385.01	< 3	

Internal/External Walls Clear Finishes: Arrised Edges

P-25	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Wallboard • MgO sheet with arrised edges • Smooth side coated 	Granosite	GranoGlaze Satin	G3.07		<ul style="list-style-type: none"> • Clear acrylic coating • Moderate flexibility and elasticity • Good water resistance performance • Good resistance to dirt & mould
			1 st coat	GranoGlaze Satin	G3.07	n/a	
			2 nd coat	GranoGlaze Satin	G3.07	n/a	

Paint Specification Schedule						Ref:	VS170119
Project						Date	19 th January 2017
Project Address:						Author	Victor Sztiniak
Finish Reference	Location	Substrate	Coating System	Paintworks Reference	VOC Levels gm/L (tinted)	Remarks	

INEX > Weatherboard



External Walls Stain Finishes

PT-30	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Weatherboard • MgO cladding 	WEATHERGARD <small>Weathergard Exterior Water Based Protection</small>	Weathergard Decking Water Based Stain			<ul style="list-style-type: none"> • Semi-Transparent penetrating stain finish • Low sheen finish • Dries quickly • Water repellent with mould & fungus inhibitors 	
			1 st coat	Weathergard Decking Water Based Stain	D5.48	n/a		
			2 nd coat	Weathergard Decking Water Based Stain	D5.48	n/a		

External Walls Paint Finishes

PT-31	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Weatherboard • MgO cladding 	Solagard <small>Solagard Exterior Water Based Protection</small>	Solagard Low Sheen			<ul style="list-style-type: none"> • Tough & durable ultra premium exterior paint • Low sheen finish • Primer to stabilise substrate • 10 year warranty 	
			1 st coat	GranoPrime	G1.02	< 10		
			2 nd coat	Solagard Low Sheen	D4.14	< 45		
PT-32	External: • Wall Cladding	<ul style="list-style-type: none"> • INEX Weatherboard • MgO cladding 	DURAGUARD <small>Duraguard Exterior Water Based Protection</small>	Duraguard Low Sheen			<ul style="list-style-type: none"> • Tough & durable ultra premium exterior paint • Low sheen finish • Primer to stabilise substrate • 10 year warranty 	
			1 st coat	GranoPrime	G1.02	< 10		
			2 nd coat	Duraguard Low Sheen	FC-4290.01	< 45		
			3 rd coat	Duraguard Low Sheen	FC-4290.01	< 45		