

# GB VENEER

*contemporary style created in concrete*



# *Slimline and unique*

Creative designs use unique products that capture the eye and the imagination. GB Veneer is designed in a slimline format that can offers versatility in application and a modern finish.

PRODUCT  
GB VENEER SPLIT FACE - LIMESTONE

# *Lasting impressions*

GB Masonry know how to make an entrance. With our range of superior quality, durable products, your project will create a warm welcome and leave a lasting impression, long after the front door has closed.

PRODUCT  
GB VENEER SPLIT FACE - NICKEL

# Designed to last

GB Veneer has the right enduring qualities for any creative project.

## CRAFTED TO PERFECTION

The GB Masonry name is synonymous with meticulous attention to detail and quality. GB Veneer is finely crafted with quality materials and unique finishes.

## LOW MAINTENANCE

When you build with GB Masonry products, you're working with the highest quality material that requires minimal maintenance.

## LONG LASTING

The design process ensures that the natural reconstituted stone is bedded firmly in a high-density matrix. This results in a high-density product, which ultimately requires minimal maintenance, and ensures an exceptionally long life.

## LOW ENVIRONMENTAL IMPACT

The production of our range has minimal impact on the environment as it does not deplete precious natural and limited resources like many other materials. To reduce the likelihood of shrinkage cracks, GB Masonry products are cured in temperature controlled room, which use less energy compared to kiln fired products.

## SUPERIOR STRENGTH

With stone and/or concrete at their core, GB Masonry products have great strength and are extremely durable. They can endure significant abrasion from external forces with minimal, if any deterioration.



Crafted to perfection



Low maintenance



Long lasting



Low environmental impact



Superior strength



# Colour range



Nickel  
Sawn Face

Pebble  
Sawn Face

Limestone  
Sawn Face

Porcelain  
Sawn Face

Porcelain  
Split Face

Limestone  
Split Face

Pebble  
Split Face

Nickel  
Split Face

Pewter  
Sawn Face

Pewter  
Split Face

**Sawn Face Unit**  
Size: 390L x 90W x 40H mm

**Split Face Unit**  
Size: 390L x 95W x 40H mm



[www.australmasonry.com.au](http://www.australmasonry.com.au)

1300 masonry (1300 627 667)



## NATIONAL OFFICES

### Queensland

184 Burnside Rd  
Yatala 4208

### New South Wales

44 Clunies Ross St  
Prospect 2148

### Victoria

Brickmakers Dr  
Wollert 3750

### South Australia

201 Greenwith Rd,  
Golden Grove 5125

### Western Australia

27 Jandakot Rd,  
Jandakot 6164

## DESIGN STUDIOS

### Brisbane

27 James St,  
Fortitude Valley  
4006

### Sydney

2 Barrack St  
Sydney 2000

### Melbourne

367 Collins St  
Melbourne 3000

### Adelaide

70 Hindmarsh  
Square  
Adelaide 5000

### Tasmania

9 Franklin Wharf  
Hobart 7000

### Perth

67 King St  
Perth 6000

A brand of

**BRICKWORKS**  
— BUILDING PRODUCTS —

Proud Supporters



The product images shown in this brochure give a general indication of product colour for your preliminary selection. GB Masonry recommends all customers see actual product samples at a selection centre prior to making final selections.

- 1. Stock colours.** Colours other than stock colours are made to order. Contact your nearest Austral Masonry office for your area's stock colours. A surcharge applies to orders less than the set minimum quantity.
- 2. Colour and texture variation.** The supply of raw materials can vary over time. In addition, variation can occur between product types and production batches.
- 3.** We reserve the right to change the details in this publication without notice.
- 4.** For a full set of Terms & Conditions of Sale please contact your nearest Austral Masonry sales office.
- 5. Important Notice.** Please consult with your local council for design regulations prior to the construction of your wall. Councils in general require those walls over 0.5m in height and/or where there is loading such as a car or house near the wall be designed and certified by a suitably qualified engineer. The product images shown in this brochure give a general indication of product colour for your preliminary selection. GB Masonry recommends all customers see actual product samples at a selection centre prior to making final selections. Product must be inspected prior to installation as product is deemed as acceptable once installed.