

Product Details

range name	BROADWAY
finish	SMOOTH
colours	ALMOND, OYSTER, CHARCOAL, STONE
product code description	300 X 150 X 60MM PAVERS

Diagram



Properties and Specifications


actual dimensions (length x width x height mm)	300 X 150 X 60MM
dimensional category	DPA2
average weight (KG)	5.8
durability class	General Purpose
number per sqm/lm	22.2
number per pallet	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
slip resistance category	P5
light reflectance value	-
	-
	-

Tested as per AS/NZS 4456: 2003 and 4586: 2013.

*This data represents average results from production lots based on the results achieved by samples selected at random for testing.
Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification*

Product Details	
range name	BROADWAY
finish	SMOOTH
colours	ALMOND, OYSTER, CHARCOAL, STONE
product code description	300 X 300 X 50MM PAVERS

Properties and Specifications	
actual dimensions (length x width x height mm)	300 X 300 X 50MM
dimensional category	DPA2
average weight (KG)	9.8
durability class	General Purpose
number per sqm/lm	11.11
number per pallet	-
charasteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
slip resistance category	P5
light reflectance value	-
	-
	-




Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing.
Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details	
range name	BROADWAY
finish	SMOOTH
colours	ALMOND, OYSTER, CHARCOAL, STONE
product code description	400 X 400 X 45MM PAVERS

Properties and Specifications	
actual dimensions (length x width x height mm)	400 X 400 X 45MM
dimensional category	DPA2
average weight (KG)	16
durability class	General Purpose
number per sqm/lm	6.25
number per pallet	-
charasteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
slip resistance category	P5
light reflectance value	-
	-
	-



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing.
Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification