

**Product Details**

range name	KEystone
finish	SPLIT FACE
colours	DUNE, CHARCOAL
product code   description	STANDARD UNIT

**Properties and Specifications**

actual dimensions (length x width x height mm)	457 X 305 X 203MM
dimensional category	-
average weight (KG)	34
durability class	General Purpose
number per sqm/lm	11
number per pallet	-
number per tonne	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM <sup>3</sup> )	-
	-
	-

**Diagram**



*Tested as per AS/NZS 4456: 2003 and 4586: 2013.*

*This data represents average results from production lots based on the results achieved by samples selected at random for testing.  
Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification*

**Product Details**

range name	KEYSTONE
finish	SPLIT FACE
colours	DUNE, CARCOAL
product code   description	FLUSHFACE UNIT

**Properties and Specifications**

actual dimensions (length x width x height mm)	457 X 305 X 203MM
dimensional category	-
average weight (KG)	38
durability class	General Purpose
number per sqm/lm	11
number per pallet	-
number per tonne	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM <sup>3</sup> )	-
	-
	-

**Diagram**



*Tested as per AS/NZS 4456: 2003 and 4586: 2013.*

*This data represents average results from production lots based on the results achieved by samples selected at random for testing.  
Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification*

### Product Details

range name	KEystone
finish	SPLIT FACE
colours	DUNE, CHARCOAL
product code   description	CORNER UNIT

### Properties and Specifications

actual dimensions (length x width x height mm)	460 X 230 X 200MM
dimensional category	-
average weight (KG)	36
durability class	General Purpose
number per sqm/lm	-
number per pallet	-
number per tonne	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM³)	-
	-
	-

### Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing.  
Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

**Product Details**

range name	KEystone
finish	SPLIT FACE
colours	DUNE, CHARCOAL
product code   description	CAPPING UNIT

**Properties and Specifications**

actual dimensions (length x width x height mm)	460 X 305 X 100MM
dimensional category	-
average weight (KG)	22
durability class	General Purpose
number per sqm/lm	2.2
number per pallet	-
number per tonne	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM <sup>3</sup> )	-
	-
	-

**Diagram**



*Tested as per AS/NZS 4456: 2003 and 4586: 2013.*

*This data represents average results from production lots based on the results achieved by samples selected at random for testing.  
Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification*

### Product Details

range name	KEystone
finish	SPLIT FACE
colours	DUNE, CHARCOAL
product code   description	FLUSHFACE STRAIGHT CAPPING UNIT

### Properties and Specifications

actual dimensions (length x width x height mm)	460 X 305 X 100MM
dimensional category	-
average weight (KG)	25
durability class	General Purpose
number per sqm/lm	2.2
number per pallet	-
number per tonne	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM <sup>3</sup> )	-
	-
	-

### Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

*This data represents average results from production lots based on the results achieved by samples selected at random for testing.  
Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification*