

CERTIFICATE OF ANALYSIS

Work Order : **EN2202999**
Client : **AUSTRAL BRICK COMPANY PTY LTD**
Contact : Cassandra Steppacher
Address : 738-780 WALLGROVE ROAD
 HORSLEY PARK NSW AUSTRALIA 2175
Telephone : +61 02 9830 7800
Project : New Berrima Dust samples
Order number : PO144049
C-O-C number : ----
Sampler : PETER YOUNG-WHITFORD
Site : ----
Quote number : EN/333
No. of samples received : 3
No. of samples analysed : 3

Page : 1 of 3
Laboratory : Environmental Division Newcastle
Contact :
Address : 5/585 Maitland Road Mayfield West NSW Australia 2304
Telephone : +61 2 4014 2500
Date Samples Received : 01-Apr-2022 14:30
Date Analysis Commenced : 06-Apr-2022
Issue Date : 12-Apr-2022 16:24



Accreditation No. 825
 Accredited for compliance with
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Thomas Regan	Laboratory Technician	Newcastle - Inorganics, Mayfield West, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 ^ = This result is computed from individual analyte detections at or above the level of reporting
 ø = ALS is not NATA accredited for these tests.
 ~ = Indicates an estimated value.

- Analysis as per AS3580.10.1-2016. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.
- The dust gauges for all samples were full when received by the laboratory. They may have overflowed in the field. Results for these gauges are thus reported on an 'as received' basis. No algaecide correction has been applied.
- For dust analysis, the Limit of Reporting (LOR) referenced in the reports for deposited matter parameters represents the reporting increment rather than reporting limit.

Analytical Results

Sub-Matrix: **DEPOSITIONAL DUST**
 (Matrix: AIR)

				Sample ID					
				A1	A2	A3	----	----	
				01/03/22 - 31/03/22	01/03/22 - 31/03/22	01/03/22 - 31/03/22	----	----	
				31-Mar-2022 00:00	31-Mar-2022 00:00	31-Mar-2022 00:00	----	----	
Compound	CAS Number	LOR	Unit	EN2202999-001	EN2202999-002	EN2202999-003	-----	-----	
Sampling date / time				Result	Result	Result	----	----	
EA120: Ash Content									
Ash Content	----	0.1	g/m ² .month	3.3	0.3	0.2	----	----	
Ash Content (mg)	----	2	mg	59	6	3	----	----	
EA125: Combustible Matter									
Combustible Matter	----	0.1	g/m ² .month	0.7	0.2	0.2	----	----	
Combustible Matter (mg)	----	2	mg	11	3	4	----	----	
EA139: Total Soluble Matter									
Total Soluble Matter	----	0.1	g/m ² .month	1.7	0.7	1.9	----	----	
Total Soluble Matter (mg)	----	2	mg	30	13	34	----	----	
EA141: Total Insoluble Matter									
Total Insoluble Matter	----	0.1	g/m ² .month	4.0	0.5	0.4	----	----	
Total Insoluble Matter (mg)	----	2	mg	70	9	7	----	----	
EA142: Total Solids									
Total Solids	----	0.1	g/m ² .month	5.7	1.2	2.3	----	----	
Total Solids (mg)	----	2	mg	100	22	41	----	----	

Page : 3 of 3
Work Order : EN2202999
Client : AUSTRAL BRICK COMPANY PTY LTD
Project : New Berrima Dust samples

