

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1. Product Identifier

Product Name Fired Clay Products - Terracade
Synonym(s) Austral Bricks Clay, Shale and Sandstone

1.2. Uses and uses advised against

Use(s) Building products used in residential, civil and commercial building construction.

1.3. Details of the supplier of the product

Supplier Name Brickworks Building Products (NSW)
Address Horsley Park (Head Office), 738-780 Wallgrove Road, Horsley Park, NSW, 2175, Australia
Telephone (02) 9830 7700
Fax (02) 9830 7770
Email infoNSW@australbricks.com.au
Website www.brickworksbuildingproducts.com.au

1.4. Emergency telephone number(s)

Emergency (02) 9830 7700

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO AUSTRALIAN WHS REGULATIONS

2.2. Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3. Other hazards

The solid product as supplied is classified as non-hazardous under normal conditions and does not present an inhalation, ingestion, skin, or eye hazard. However, dust created when the product is cut, grinded and machined may contain crystalline silica some of which may be respirable (particles small enough to go into deep parts of the lung when breathed in).

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances/Mixtures

Ingredient	CAS Number	EC Number	Content
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	238-878-4	0.1 to 10%
NON-HAZARDOUS INGREDIENTS	Not Available	Not Available	10% to 100%

4. FIRST AID MEASURES

4.1. Description of first aid measures

Eye	(Dust exposure) Flush gently with running water, irrigating under eyelids. Seek medical attention if irritation develops.
Inhalation	(Dust exposure) If inhaled remove from contaminated area. Apply artificial respiration if not breathing.
Skin	(Dust exposure) Gently flush affected areas with water. Seek medical attention if irritation develops.
Ingestion	Due to product form and application, ingestion is considered unlikely.
First aid facilities	No information provided.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3. Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

5.3. Advice for firefighters

No fire or explosion hazard exists.

5.4. Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in Section 8 of the SDS.

6.2. Environmental precautions

Prevent product from entering drains and waterways.

6.3. Methods of cleaning up

If spilt, collect and reuse where possible.

6.4. Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2. Conditions for safe storage, including any incompatibilities

Ensure material is adequately labelled and protected from physical damage.

7.3. Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure standards

Ingredient	TWA		STEL	
	ppm	mg/m³	ppm	mg/m³
Quartz (respirable dust) 14808-60-7	--	0.1	--	--

Biological limits

No biological limit values have been entered for this product.

8.2. Exposure controls

Engineering controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Wet where possible. Maintain dust levels below the recommended exposure standard.

PPE

Eye/face	If cutting or sanding with potential for dust generation, wear dust-proof goggles.
Hands	Wear leather or cotton gloves.
Body	Not required under normal conditions of use.
Respiratory	If cutting or sanding with potential for dust generation, wear a Class P1 (Particulate) respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	COLOURED BRICKS
Odour	ODOURLESS
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	NOT AVAILABLE
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE

pH	NOT AVAILABLE
Vapour density	NOT AVAILABLE
Specific gravity	NOT AVAILABLE
Solubility (water)	INSOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

9.2. Other information

Density	1600kg/m ³ to 2300 kg/m ³
----------------	---

10. STABILITY AND REACTIVITY

10.1. Reactivity

Carefully review all information provided in Section 10.

10.2. Chemical Stability

Stable under recommended conditions of storage.

10.3. Possibility of hazardous reactions

Polymerisation is not expected to occur.

10.4. Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5. Incompatible materials

No information provided.

10.6. Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Health hazard Low toxicity. Adverse health effects, usually associated with long term exposure to high crystalline silica dust levels, are not anticipated due to product form. This material may only present a hazard if cut, sanded or drilled with dust generation. Use safe work practices to avoid dust generation – inhalation. Chronic exposure to dust may result in lung fibrosis (silicosis). Crystalline silica is classified as carcinogenic to humans (IARC Group 1).

Product Name: **Fired Clay Products - Terracade**

Eye	Due to product form and nature of use, the potential for exposure is reduced. Product may only present a hazard if material is cut, drilled or sanded with dust generation, which may result in mechanical irritation.
Inhalation	Exposure considered unlikely. An inhalation hazard is not anticipated unless cut, drilled or sanded with dust generation, which may result in irritation of the nose and throat.
Skin	Mechanical irritant. Prolonged or repeated contact may result in mild irritation due to mechanical action.
Ingestion	Ingestion is considered unlikely due to product form.
Toxicity data	No LD ₅₀ data available for this product.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

No information provided.

12.2. Persistence and degradability

No information provided.

12.3. Bioaccumulative potential

No information provided.

12.4. Mobility in soil

No information provided.

12.5. Other adverse effects

The main component/s of this product are not anticipated to cause any adverse effects to plants or animals.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste disposal	Reuse where possible. Dispose of in accordance with local regulations.
Legislation	Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (INDG/IMO)	AIR TRANSPORT (IATA/ICAO)
14.1. UN NUMBER	None Allocated	None Allocated	None Allocated
14.2. PROPER SHIPPING NAME	None Allocated	None Allocated	None Allocated
14.3. TRANSPORT HAZARD CLASS	None Allocated	None Allocated	None Allocated
14.4. PACKING GROUP	None Allocated	None Allocated	None Allocated

14.5. Environmental hazards No information provided

SDS Date: 28 Sep 2015

14.6. Special precautions for user

Hazchem code None allocated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based of the Globally harmonised System (GHS) of Classification and Labelling of Chemicals.
The classifications and phrases listed below are based of the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].

Hazard codes None allocated.

Risk phrases None allocated.

Safety phrases None allocated.

Inventory listing(s) **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**
All components are listed AICS, or are exempt.

16. OTHER INFORMATION

Additional information **PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**
The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:
It should be noted that the effect from exposure to this product will depend of several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	European Community Number
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
GHS	Globally Harmonized System
GTEPG	Group Text Emergency Procedure Guide
IARC	International Agency for Research on Cancer
LC ₅₀	Lethal Concentration, 50% / Median Lethal Concentration
LD ₅₀	Lethal Dose, 50% / Median Lethal Dose

Product Name: **Fired Clay Products - Terracade**

mg/m ³	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
pH	Relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline)
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average

Report status

This document has been compiled by RMT of behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

NSW

Horsley Park (Head Office)

738-780 Wallgrove Road,
Horsley Park NSW 2175
Telephone: (02) 9830 7700
Facsimile: (02) 9830 7770

Albion Park

45 Princes Hwy,
Albion Park Rail NSW 2527
Telephone: (02) 4257 1566
Facsimile: (02) 4257 1496

Beresfield

2 Yangan Drive,
Beresfield NSW 2322
Telephone: (02) 4351 5500
Facsimile: (02) 4967 6383

Canberra

7 Lithgow Street,
Fyshwick ACT 2609
Telephone: (02) 6239 1286
Facsimile: (02) 6280 7086

CBD Design Studio

50 Carrington Street,
Sydney NSW 2000
Telephone: (02) 9611 4200
Facsimile: (02) 9830 7388

Coffs Harbour

27 Lawson Crescent,
Coffs Harbour NSW 2450
Telephone: (02) 6652 3457
Facsimile: (02) 6651 4367

Port Macquarie

42 Jindalee Road,
Port Macquarie NSW 2444
Telephone: (02) 6581 1533
Facsimile: (02) 6581 0618

Punchbowl

62 Belmore Road,
Punchbowl NSW 2196
Telephone: (02) 9915 9100
Facsimile: (02) 9915 9155

QLD

Rochedale (Head Office)

105 Gardner Road,
Rochedale QLD 4123
Telephone: (07) 3347 2111
Facsimile: (07) 3343 2899

Cairns

76 Swallow Road,
Edmonton QLD 4869
Telephone: (07) 4045 5309
Facsimile: (07) 4045 5896

Gold Coast

3 Central Drive,
Burleigh QLD 4220
Telephone: (07) 5593 5955
Facsimile: (07) 5593 5727

Toowoomba

29 Mort Street,
Toowoomba QLD 4350
Telephone: (07) 4632 6377
Facsimile: (07) 4632 6569

Townsville

42 Blakey Street,
Garbutt QLD 4814
Telephone: (07) 4728 2881
Facsimile: (07) 4728 2879

SA

Golden Grove (Head Office)

Greenwith Road,
Golden Grove SA 5125
Telephone: (08) 8282 6301
Facsimile: (08) 8282 6360

Richmond

392 South Road,
Richmond SA 5033
Telephone: (08) 8152 0302
Facsimile: (08) 8443 2200

WA

Caversham (Head Office)

Harper Street,
Caversham WA 6055
Telephone: (08) 9261 9999
Facsimile: (08) 9261 9988

Armadale

245 South Western Hwy,
Armadale WA 6012
Telephone: (08) 9399 0333
Facsimile: (08) 9399 6509

Bellevue

Military Road
Bellevue WA 6056
Telephone: (08) 9274 5333
Facsimile: (08) 9274 1585

Bunbury

5 Picton Road,
Bunbury WA 6231
Telephone: (08) 9791 1977
Facsimile: (08) 9791 2517

Busselton

75 Cook Street,
Busselton WA 6280
Telephone: (08) 9754 4866
Facsimile: (08) 9751 1104

Cardup

Kiln Road,
Cardup WA 6122
Telephone: (08) 9550 6505
Facsimile: (08) 9525 1850

Joondalup

18 Ascari Lane,
Joondalup WA 6027
Telephone: (08) 9300 2608
Facsimile: (08) 9300 2499

Malaga

10 Bonner Drive,
Malaga WA 6090
Telephone: (08) 9208 7999
Facsimile: (08) 9208 7900

Product Name: **Fired Clay Products - Terracade**

O'Connor

Corner Stock & South Street,
O'Connor WA 6163
Telephone: (08) 9337 8888
Facsimile: (08) 9337 8971

Waterloo

Waterloo Road,
Waterloo WA 6228
Telephone: (08) 9726 3000
Facsimile: (08) 9726 3245

VIC

Wollert (Head Office)

Brickmakers Drive,
Wollert VIC 3750
Telephone: (03) 9303 4000
Facsimile: (03) 9308 1974

Deer Park

972 Western Highway,
Deer Park VIC 3023
Telephone: (03) 9303 4713
Facsimile: (03) 9361 8411

Geelong

200-204 Torquay Road,
Grovedale VIC 3216
Telephone: (03) 5221 2400
Facsimile: (03) 5243 4220

Lynbrook

Corner Western Point Highway &
Northey Road,
Lynbrook VIC 3975
Telephone: (03) 9303 4708
Facsimile: (03) 9799 6910

Richmond

The Brick Studio
490 Swan Street,
Richmond VIC 3121
Telephone: (03) 9303 4740
Facsimile: (03) 9427 1592

Thomastown

140 High Street,
Thomastown VIC 3074
Telephone: (03) 9303 4077
Facsimile: (03) 9466 3792

TAS

North Tasmania

Cressy Road,
Longford TAS 7301
Telephone: (03) 6397 4500
Facsimile: (03) 6391 2121

South Tasmania

113 Grove Road,
Glenorchy TAS 7010
Telephone: (03) 6212 9120
Facsimile: (03) 6212 9150

Email Addresses:

infoNSW@australbricks.com.au
infoQLD@australbricks.com.au
infoSA@australbricks.com.au
infoWA@australbricks.com.au
infoVIC@australbricks.com.au
infoTAS@australbricks.com.au