



Terraçade Baguette System



Terraçade Baguettes

A stylish privacy screen and ventilation system.

Terraçade baguettes can be used for both practical and decorative applications on building façades.

The system can be used to provide privacy screening, permanent ventilation and shading or simply to apply a stylish finish to any residential, commercial or industrial project.

The product can provide screening on multi residential balconies, across windows on office buildings or act as a decorative element for front offices in industrial complexes.

Terraçade baguettes come in a range of six stylish, natural colours.

Colour palette



Bunbury



Kimberley



Whitehaven



Pilbarra



Tennat



Kalbarri


Terraçade Baguettes

Size (mm): 1000L x 50W x 50H

Weight (each): 5.0kg

Specification of Terraçade Baguette System (1000mm)

COMPONENTS:




DIMENSIONS	
Baguette	50 x 50 x 1000 mm (wall thickness of 10 mm)
Insert	28 X 28 X 2.5 SHS Grade 450MPa Galvanised Steel for Length 2000mm
Bracket	50(w) x 46(h) x 7 mm Fastener offset: 20 mm from bottom of bracket Minimum clearance above: 25 mm
Overall installation width	2022 ±2 mm
WEIGHT	
Baguette	3.5 kg
Aluminium Insert	0.6 kg
SERVICEABILITY LOAD AND FLEXURAL STRENGTH	
Serviceability load	1.1 kN point load (in accordance with AS4040.1-1992)
Serviceability Flexural Strength	0.275 kNm
FASTENER SPECIFICATION	
Timber	6G (3.5 mm) x 25 mm 316/A4 Grade (Fit TBC) 8G (4.2 mm) x 20 mm 316/A4 Grade
Steel (min gauge 0.75 mm)	(Fit TBC) 10g -16 x 16 Smooth Top Teks Climaseal 3 (not recommended for 'marine' or 'industrial' environments)
Concrete and Masonry (core filled block or solid brick)	Powers galvanised Blue-Tip SCREW-BOLT™ BTG550

Installation Steps


STEP 1:

Insert Aluminium insert




STEP 2:

Insert Engagement Bracket E




STEP 3:

Install Bracket E




STEP 4:



Install Baguette




Bracket Fixing Details




L-Angle Bracket Fixing Details



Middle Bracket Fixing Details



Fixing Options





terracade.com.au | info@terracade.com.au | 1800 001 013



NATIONAL HEAD OFFICE

62 Belmore Road,
Punchbowl
NSW 2196

Proud Supporters



The product images in our brochures give a general indication of colour for your preliminary selection.
We also recommend you view current product samples before making your final decision.