

Product Details

range name	ELEGANCE
finish	SHOT BLAST
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 600 X 400 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	600 x 400 x 40mm
dimensional category	DPA2
average weight (KG)	23
durability class	General Purpose
number per sqm/lm	4.17
number per pallet	-
characteristics breaking load (kN)	6.1
mean cold water absorption (%)	2.1
mean abrasion resistance (CM ³)	7.4
slip resistance category	P5
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification


Product Details

range name	ELEGANCE
finish	SHOT BLAST
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 400 X 400 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	400 x 400 x 40mm
dimensional category	DPA2
average weight (KG)	14.7
durability class	General Purpose
number per sqm/lm	6.25
number per pallet	-
characteristics breaking load (kN)	6.1
mean cold water absorption (%)	2.1
mean abrasion resistance (CM ³)	7.4
slip resistance category	P5
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	ELEGANCE
finish	SHOT BLAST
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 300 X 200 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	300 x 200 x 40mm
dimensional category	DPA2
average weight (KG)	5.58
durability class	General Purpose
number per sqm/lm	2.77
number per pallet	-
characteristics breaking load (kN)	6.1
mean cold water absorption (%)	2.1
mean abrasion resistance (CM ³)	7.4
slip resistance category	P5
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	LUXURY
finish	MILLED
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 600 X 400 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	600 x 400 x 40mm
dimensional category	DPA2
average weight (KG)	23
durability class	General Purpose
number per sqm/lm	4.17
number per pallet	-
characteristics breaking load (kN)	4.3
mean cold water absorption (%)	2.2
mean abrasion resistance (CM ³)	5.1
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification


Product Details

range name	LUXURY
finish	MILLED
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 400 X 400 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	400 x 400 x 40mm
dimensional category	DPA2
average weight (KG)	14.8
durability class	General Purpose
number per sqm/lm	6.25
number per pallet	-
characteristics breaking load (kN)	4.3
mean cold water absorption (%)	2.2
mean abrasion resistance (CM ³)	5.1
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	LUXURY
finish	MILLED
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 300 X 200 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	300 x 200 x 40mm
dimensional category	DPA2
average weight (KG)	5.58
durability class	General Purpose
number per sqm/lm	2.77
number per pallet	-
characteristics breaking load (kN)	4.3
mean cold water absorption (%)	2.2
mean abrasion resistance (CM ³)	5.1
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	OPULENCE
finish	HONED
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 600 X 400 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	600 x 400 x 40mm
dimensional category	DPA2
average weight (KG)	23
durability class	General Purpose
number per sqm/lm	4.17
number per pallet	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
slip resistance category	P3
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification


Product Details

range name	LUXURY
finish	MILLED
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 400 X 400 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	400 x 400 x 40mm
dimensional category	DPA2
average weight (KG)	14.8
durability class	General Purpose
number per sqm/lm	6.25
number per pallet	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
slip resistance category	P3
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	LUXURY
finish	MILLED
colours	PEARL ASH GRAPHITE WHITE ASH OBSIDIAN SAND
product code description	### 300 X 200 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	300 x 200 x 40mm
dimensional category	DPA2
average weight (KG)	5.58
durability class	General Purpose
number per sqm/lm	2.77
number per pallet	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
slip resistance category	P3
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	PROVINCIAL
finish	SAWCUT
colours	PEARL ASH GRAPHITE
product code description	### 600 X 400 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	600 x 400 x 40mm
dimensional category	DPA2
average weight (KG)	23
durability class	General Purpose
number per sqm/lm	4.17
number per pallet	-
characteristics breaking load (kN)	-
mean cold water absorption (%)	-
mean abrasion resistance (CM ³)	-
slip resistance category	P3
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification


Product Details

range name	PROVINCIAL
finish	SAWCUT
colours	PEARL ASH GRAPHITE
product code description	### 400 X 400 X 40MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	400 x 400 x 40mm
dimensional category	DPA2
average weight (KG)	14.8
durability class	General Purpose
number per sqm/lm	6.25
number per pallet	-
characteristics breaking load (kN)	6.1
mean cold water absorption (%)	2.1
mean abrasion resistance (CM ³)	7.2
slip resistance category	P5
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification