# **URBANSTONE**<sup>®</sup>

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

Uses

Product name	CONCRETE PAVERS
Synonyms	CONCRETE PAVERS

#### 1.2 Uses and uses advised against

BUILDING MATERIAL • BUILDINGS AND CIVIL ENGINEERING

#### 1.3 Details of the supplier of the product

Supplier name	URBANSTONE
Address	27 Jandakot Road, Jandakot Perth WA 6164
Telephone	1800 953 435
Website	https://urbanstone.com.au

#### 1.4 Emergency telephone numbers

Emergency 1800 953 435

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### 2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

The solid product as supplied is classified as non-hazardous under normal conditions and does not present an inhalation, ingestion, skin, or eye hazard. However, dust created when the product is cut, grinded and machined may contain crystalline silica some of which may be respirable (particles small enough to go into deep parts of the lung when breathed in).

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	238-878-4	0.1 to 75%

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Eye	(Dust exposure) Flush gently with running water, irrigating under eyelids. Seek medical attention if irriration develops.
Inhalation	(Dust exposure) If inhaled remove from contaminated area. Apply artificial respiration if not breathing.
Skin	(Dust exposure) Gently flush affected areas with water. Seek medical attention if irritation develops.
Ingestion	Due to product form and application, ingestion is considered unlikely.
First aid facilities	Eye wash facilities and sagety shower should be available, particularly when dust is generate

#### 4.2 Most important symptoms and effects, both acute and delayed

This product may present a hazard if cut or drilled with dust generation. CAUTION: Repeated exposure to dust may cause lung fibrosis (silicosis).

#### 4.3 Immediate medical attention and special treatment needed

#### Treat symptomatically.

## 5. FIRE FIGHTER MEASURES

#### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance mixture

Non flammable. May evolve toxic gases if strongly heated.

#### 5.3 Advice for firefighters

No fire or explosion hazard exists

#### 5.4 Hazchem code

None allocated

#### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways

#### 6.3 Methods of cleaning up

If spilt, collect and reuse where possible. Avoid generating dust.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Ensure material is adequately labelled and protected from physical damage. Avoid generating dust.

#### 7.3 Specific end uses

No information provided.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control Parameters

Exposure standards

Ingradiant	Reference	TWA		STEL	
Ingredient		РРМ	Mg/m <sup>3</sup>	Ppm	Mg/m <sup>3</sup>
Quartz (respirable dust)	SWA[AUS]		0.05		
Quartz (respirable dust)	WorkSafe VIC		0.05		

#### **Biological limits**

No biological limit values have been entered for this product

#### 8.2 Exposure controls

**Engineering controls** 

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Wet where possible.

<u>PPE</u>

Eye/Face Hands Body Respiratory



If cutting or sanding with potential for dust generation, wear dust-proof goggles. Wear leather or cotton gloves Not required under normal conditions If cutting or sanding with potential for dust generation, wear a Class P1 (Particulate) respirator.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

## 9.2 Other Information

Density

1600 kg/m3 to 2300 kg/m3

## **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

## 10.5 Incompatible materials

Incompatible with strong acids (e.g. hydrochloric acid).

## 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

## **11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

Acute toxicity	This product is expected to be of low toxicity. Ingestion is considered unlikely due to product form.
Skin	Mechanical irritant. Prolonged or repeated contact may result in mild irritation due to mechanical action.
Еуе	Mechanical irritant. Due to product form and nature of use, the potential for exposure is reduced. Product may only present a hazard if material is cut, drilled or sanded with dust generation, which may result in mechanical irritation.
Sensitisation	Not classified as causing skin or respiratory sensitisation.
Mutagenicity	Not classified as a mutagen.
Carcinogenicity	Adverse health effects, usually associated with long term exposure to high respirable crystalline silica quartz dust levels are not anticipated due to product form. This product may only present a hazard if rocks are cut or drilled with dust generation. Respirable crystalline silica quartz is classified as carcinogenic to humans (IARC Group 1).
Reproductive	Not classified as a reproductive toxin.
STOT – single exposure	Dust can be generated during cutting of the product. Dusts are mechanical irritants that may cause throat irritation.
STOT - repeated exposure	Adverse health effects, usually associated with long term exposure to high respirable crystalline silica quartz dust levels are not anticipated due to the product form. This product may present a hazard if cut or drilled with dust generation. CAUTION: Repeated exposure to dust may cause lung fibrosis (silicosis).
Aspiration	Not applicable for solids.

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

The substance is inert and there is no evidence of significant toxicity.

#### 12.2 Persistence and degradability

Being inorganic, the substance will not biodegrade.

#### 12.3 Bioaccumulative potential

The substance is inert and will not be absorbed and accumulate in tissues.

#### 12.4 Mobility in soil

No information provided.

#### 12.5 Other adverse effects

The main component/s of this product are not anticipated to cause any adverse effects to plants or animals.

## **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

Waste disposalReuse where possible. Dispose of in accordance with local regulationsLegislationDispose of in accordance with relevant local legislation

## **14. TRANSPORT INFORMATION**

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG /IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None. Allocated
14.2 Proper shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing group	None allocated.	None allocated.	None allocated.

#### 14.5 Environmental hazards

Not a Marine Pollutant

#### 14.6 Special precautions for user

Hazchem Code None allocated.

## **15. REGULATORY INFORMATION**

15.1 Safety, health and e	nvironmental re	gulations/legislation specific for the substance or mixture	
Poison schedule		edule number has not been allocated to this product using the criteria in the Standard for the Uniform Medicines and Poisons (SUSMP).	
Classifications Inventory listings	Scheduling of Medicines and Poisons (SOSMP). Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals. AUSTRALIA: AICS (Australian Inventory of Chemical Substances) All components are listed on AICS, or are exempt.		
16. OTHER INFORMA			
Additional information	-	PROTECTIVE EQUIPMENT GUIDELINES:	
	The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made. HEALTH EFFECTS FROM EXPOSURE: It should be noted that the effects from exposure to this product will depend on several factors including: form of product frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipat that users will assess the risks and apply control methods where appropriate.		
Abbreviations			
	ACGIH	American Conference of Governmental Industrial Hygienists	
	CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds	
	CNS	Central Nervous System	
	EC No.	EC No - European Community Number	
	EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)	
	GHS	Globally Harmonized System	
	GTEP IARC	Group Text Emergency Procedure Guide International Agency for Research on Cancer	
	LC50	Lethal Concentration, 50% / Median Lethal Concentration	
	LD50	Lethal Dose, 50% / Median Lethal Dose	
	Mg/m <sup>3</sup>	Milligrams per Cubic Metre	
	OEL	Occupational Exposure Limit	
	pН	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).	
	ppm	Parts Per Million	
	STEL	Short-Term Exposure Limit	
	STOT-RE	Specific target organ toxicity (repeated exposure)	
	STOT-SE	Specific target organ toxicity (single exposure)	
	SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons	
	SWA	Safe Work Australia	
	TLV	Threshold Limit Value	
	TWA	Time Weighted Average	
Report status		ent has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves ety Data Sheet ('SDS').	
	It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.		
	warranty as damage (inc	has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or cluding consequential loss) which may be suffered or incurred by any person as a consequence of their the information contained in this SDS.	
Prepared by	Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com		

# [END of SDS]