


Product Details

range name	ENRUASTONE
finish	FLAMED
colours	SILVER GRANITE GREY GRANITE BLACK GRANITE
product code description	### 400 X 400 X 20MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	400 x 400 x 20mm
dimensional category	DPA2
average weight (KG)	9.79
durability class	General Purpose
number per sqm/lm	6.25
number per pallet	-
characteristics breaking load (kN)	6.9
mean cold water absorption (%)	2.1
mean abrasion resistance (CM ³)	-
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification


Product Details

range name	ENDURASTONE
finish	FLAMED
colours	SILVER GRANITE GREY GRANITE BLACK GRANITE
product code description	### 400 X 400 X 30MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	400 x 400 x 30mm
dimensional category	DPA2
average weight (KG)	14.118
durability class	General Purpose
number per sqm/lm	6.25
number per pallet	-
characteristics breaking load (kN)	26.5
mean cold water absorption (%)	2.1
mean abrasion resistance (CM ³)	-
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	ENDURASTONE
finish	FLAMED
colours	SILVER GRANITE GREY GRANITE BLACK GRANITE
product code description	### 600 X 400 X 20MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	600 x 400 x 20mm
dimensional category	DPA2
average weight (KG)	12.98
durability class	General Purpose
number per sqm/lm	4.17
number per pallet	-
characteristics breaking load (kN)	2.8
mean cold water absorption (%)	2.3
mean abrasion resistance (CM ³)	-
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification

Product Details

range name	ENDURASTONE
finish	FLAMED
colours	SILVER GRANITE GREY GRANITE BLACK GRANITE
product code description	### 600 X 400 X 30MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	600 x 400 x 30mm
dimensional category	DPA2
average weight (KG)	18.98
durability class	General Purpose
number per sqm/lm	4.17
number per pallet	-
characteristics breaking load (kN)	8.6
mean cold water absorption (%)	2.3
mean abrasion resistance (CM ³)	-
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification


Product Details

range name	ENDURASTONE
finish	FLAMED
colours	SILVER GRANITE GREY GRANITE BLACK GRANITE
product code description	### 600 X 600 X 20MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	600 x 600 x 20mm
dimensional category	DPA2
average weight (KG)	28.2
durability class	General Purpose
number per sqm/lm	2.78
number per pallet	-
characteristics breaking load (kN)	2.8
mean cold water absorption (%)	2.3
mean abrasion resistance (CM ³)	-
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification


Product Details

range name	ENDURASTONE
finish	FLAMED
colours	SILVER GRANITE GREY GRANITE BLACK GRANITE
product code description	### 600 X 600 X 30MM PAVERS

Properties and Specifications

actual dimensions (length x width x height mm)	600 x 600 x 30mm
dimensional category	DPA2
average weight (KG)	30.614
durability class	General Purpose
number per sqm/lm	2.78
number per pallet	-
characteristics breaking load (kN)	13
mean cold water absorption (%)	2.3
mean abrasion resistance (CM ³)	-
slip resistance category	P4
light reflectance value	-
	-
	-

Diagram



Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from production lots based on the results achieved by samples selected at random for testing. Figures are accurate at date of publication and subject to change without notice. Contact UrbanStone for confirmation of product specification